

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9282	382/100,232,240;713/176,179;380/51,54,201,210,252,287;348/461,463;370/522,523,524,525,526,528,529;358/3.28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:58
L2	301	L1 and imag\$3 with (watermark\$3 or ((embedding or inserting or hiding) near3 (data or information)) or modulat\$4 near3 bits or modulat\$4 near3 pixels or stenography or embed\$4 near3 lego or embed\$4 signatur\$2 or embed\$4 near3 glyph\$1) same wavelet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:53
L3	5	L2 and (sequenc\$3 or arrang\$5 or order near3 succession) near10 (block\$1 near3 coefficients or sub-band\$1 or "LL" or "LH" or "HL" or "HH" or region\$1 or zone or subset or region near3 interest or "ROI") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:13
L4	134	stegarograph\$ or ((digital\$4 or electronic\$4) near4 watermark\$4) same wavelet near3(transform\$5 or invaria\$6 or distort\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:50
L5	1	4 and (sequenc\$3 or arrang\$5 or order near3 succession) near10 (block\$1 near3 coefficients or sub-band\$1 or "LL" or "LH" or "HL" or "HH" or region\$1 or zone or subset or region near3 interest or "ROI") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:55
L6	0	(stegarograph\$ or ((digital\$4 or electronic\$4) near4 watermark\$4)) same wavelet near3(transform\$5 or domain) same (geometric near3(transform\$5 or invaria\$6 or distort\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:20
L7	29	(stegarograph\$ or ((digital\$4 or electronic\$4) near4 watermark\$4)) same wavelet near3(transform\$5 or domain) and (geometric near3(transform\$5 or invaria\$6 or distort\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:50

L8	1	7 and (sequenc\$3 or arrang\$5 or order near3 succession) near10 (block\$1 near3 coefficients or sub-band\$1 or "LL" or "LH" or "HL" or "HH" or region\$1 or zone or subset or region near3 interest or "ROI") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:52
L9	20	7 and (determin\$3 or extract\$4 or detect\$4 or find\$4 or obtain\$5 or acquir\$3 or calcula\$4 or generat\$3) near5 (region\$1 or subset or zone or sub-band or region\$1 near3 interest or "ORI" or "LL" or "LH" or "HL" or "HH" or acceptable near3 region\$1 or acceptable near3 block\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:51
L10	1	9 and (sequenc\$3 or arrang\$5 or order near3 succession) near10 (block\$1 near3 coefficients or sub-band\$1 or "LL" or "LH" or "HL" or "HH" or region\$1 or zone or subset or region near3 interest or "ROI") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:01
L11	9282	382/100,232,240;713/176,179;380/51,54,201,210,252,287;348/461,463;370/522,523,524,525,526,528,529;358/3.28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:49
L12	28	11 and (stegarograph\$ or ((digital\$4 or electronic\$4) near4 watermark\$4)) same wavelet near3(transform\$5 or domain) and (geometric near3(transform\$5 or invaria\$6 or distort\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:57
L13	20	12 and (determin\$3 or extract\$4 or detect\$4 or find\$4 or obtain\$5 or acquir\$3 or calcula\$4 or generat\$3) near5 (region\$1 or subset or zone or sub-band or region\$1 near3 interest or "ORI" or "LL" or "LH" or "HL" or "HH" or acceptable near3 region\$1 or acceptable near3 block\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:51
L14	1	12 and (sequenc\$3 or arrang\$5 or order near3 succession) near10 (block\$1 near3 coefficients or sub-band\$1 or "LL" or "LH" or "HL" or "HH" or region\$1 or zone or subset or region near3 interest or "ROI") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:57

L15	28	donescu-ioana.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:58
L16	1	15 and (stegarograph\$ or ((digital\$4 or electronic\$4) near4 watermark\$4)) same wavelet near3(transform\$5 or domain) and (geometric near3(transform\$5 or invaria\$6 or distort\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:58
S1	73	imag\$3 near3 digital with watermark\$3 same wavelet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:08
S2	4	S1 and insert\$3 near5 watermark\$3 same (region\$1 or subset or zone or sub-band or region\$1 near3 interest or "ORI" or "LL" or "LH" or "HL" or "HH")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:27
S3	6	((("6332030") or ("6201879") or ("5530759"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 16:27
S4	549	imag\$3 with (watermark\$3 or ((embedding or inserting or hiding) near3 (data or information)) or modulata\$4 near3 bits or modulata\$4 near3 pixels or stenography or embed\$4 near3 lego or embed\$4 signatur\$2 or embed\$4 near3 glyph\$1) same wavelet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:44
S5	304	S4 and (determin\$3 or find\$4 or obtain\$5 or acquir\$3 or calcula\$4 or generat\$3) same (region\$1 or subset or zone or sub-band or region\$1 near3 interest or "ORI" or "LL" or "LH" or "HL" or "HH")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:31
S6	60	S4 same (determin\$3 or find\$4 or obtain\$5 or acquir\$3 or calcula\$4 or generat\$3) same (region\$1 or subset or zone or sub-band or region\$1 near3 interest or "ORI" or "LL" or "LH" or "HL" or "HH")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 17:32
S7	60	S4 same (determin\$3 or find\$4 or obtain\$5 or acquir\$3 or calcula\$4 or generat\$3) same (region\$1 or subset or zone or sub-band or region\$1 near3 interest or "ORI" or "LL" or "LH" or "HL" or "HH" or acceptable near3 region\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:16

S8	1	S7 and (sequenc\$3 or arrang\$5 or order near3 succession) same block\$1 near5 (coefficients with sub-band\$1 or "LL" or "LH" or "HL" or "HH") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:08
S9	3	S7 and (sequenc\$3 or arrang\$5 or order near3 succession) same (block\$1 near3 coefficients or sub-band\$1 or "LL" or "LH" or "HL" or "HH" or region\$1 or zone or subset or region near3 interest or "ROI") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:19
S10	304	S5 and (determin\$3 or extract\$4 or find\$4 or obtain\$5 or acquir\$3 or calcula\$4 or generat\$3) same (region\$1 or subset or zone or sub-band or region\$1 near3 interest or "ORI" or "LL" or "LH" or "HL" or "HH" or acceptable near3 region\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:57
S11	17	S10 and (sequenc\$3 or arrang\$5 or order near3 succession) same (block\$1 near3 coefficients or sub-band\$1 or "LL" or "LH" or "HL" or "HH" or region\$1 or zone or subset or region near3 interest or "ROI") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:48
S12	9276	382/100,232,240;713/176, 179;380/51,54,201,210,252, 287;348/461,463;370/522,523,524, 525,526,528,529;358/3.28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 12:49
S13	301	S12 and imag\$3 with (watermark\$3 or ((embedding or inserting or hiding) near3 (data or information)) or modulat\$4 near3 bits or modulat\$4 near3 pixels or stenography or embed\$4 near3 lego or embed\$4 signatur\$2 or embed\$4 near3 glyph\$1) same wavelet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 18:44
S14	5	S13 and (sequenc\$3 or arrang\$5 or order near3 succession) near10 (block\$1 near3 coefficients or sub-band\$1 or "LL" or "LH" or "HL" or "HH" or region\$1 or zone or subset or region near3 interest or "ROI") same (threshold\$3 or criterion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 09:58

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**
RELEASE 1.8Welcome
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)**Welcome to IEEE Xplore®**

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **0** of **1138071** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**Results:****No documents matched your query.** [Print Format](#)[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved